

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L21	287	717/178.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/06 16:16
		717/178.ccls.'	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/06 16:16
L20	3854	705/26.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/06 16:15
L19	3353	707/100.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/06 16:15
L18	18147	709/203,217,218,219,223,224, 236,246.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/06 16:15
L17	64	16 and @ad<="19990426"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/06 16:15
L16	215	(separat\$4 near5 (template\$2 near5 (data content)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/06 15:12
L12	295	(separat\$4 near5 (layout\$2 near5 (data content)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/06 15:12
L11	16	10 and @ad<="19990426"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/06 15:12
L15	99	13 not 11	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/06 15:06
L14	32	13 not "16"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/06 15:06
L13	115	12 and @ad<="19990426"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/06 15:05

L10	78	(separat\$4 near5 (layout\$2 near5 content))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/06 15:05
L6	877	5 and @ad<="19990426"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/06 14:58
		(separat\$4 near 5 (layout\$2 near5 content))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/06 14:56
L9	233	6 and (defin\$6 same (look\$2 appearance\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/06 14:55
L5	3334	(template\$2 frame\$2) and ((look near3 feel) (look-and-feel))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/06 13:59
L4	88	L3 and ((template\$2 frame\$2) and (gui interface\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/06 13:59
L3	259	L2 and @ad<="19990426"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/06 13:59
S14 5	88	S143 and ((template\$2 frame\$2) and (gui interface\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/06 10:44
L2	1190	((first near3 address\$2) same server\$2) and ((second near3 address\$2) same server\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/06 10:44
L1	181907	"13" and ((template\$2 frame\$2) and (gui interface\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/06 10:41
S14 4	94	S143 and (template\$2 frame\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/05 17:54
S14 3	259	S142 and @ad<="19990426"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/05 17:52

S13 7	184	S136 and @ad<="19990426"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/05 17:52
S14 2	1190	((first near3 address\$2) same server\$2) and ((second near3 address\$2) same server\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/05 17:51
S14 1	84	S140 and gui	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/05 17:51
S14 0	2518	S139 and (url\$2 link\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/05 17:11
S13 9	17461	S138 and @ad<="19990426"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/05 17:11
S13 8	34336	creat\$4 near5 (calendar notebook\$2 contact)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/05 17:11
S13 6	593	customiz\$4 near5 (calendar notebook\$2 contact)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/05 17:10
S13 4	501	S133 and @ad<="19990426"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/05 17:03
S13 5	178	S134 and (frame\$2 template\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/05 17:02
S13 3	1358	network\$2 near4 information near3 monitor\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/05 16:50
S13 2	354	S131 and @ad<="19990426"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/05 16:50
S13 1	625	715/505-508.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/05 14:57

S130	196	S129 and (deliver\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/05 14:57
S128	1107	S127 and @ad<="19990426"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/05 14:57
S129	399	S128 and ((user\$2 client\$2) near6 select\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/01 16:40
S127	3037	personal near3 (news newspaper\$2 (web near3 content))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/01 16:39
S126	33	S124 not S125	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/01 16:39
S121	14	S120 and @ad<="19990426"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/01 16:39
S125	12	S124 and @ad<="19990426"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/01 16:36
S124	45	(deliver\$4 near5 (web near3 content)) same (user client) near4 select\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/01 16:16
S123	5	S121 and url\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/01 16:15
S122	1	"20020091697"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/01 14:22
S120	102	((functionalit\$3 and appearance\$2) same (gui (user near3 interface\$2))) same (content definition)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/01 13:09
S119	1037	(functionalit\$3 and appearance\$2) same (gui (user near3 interface\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/01 13:09

		custom\$4 near4 (web\$4 (web adj (page\$2 site\$2)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/01 13:07
S11 8	251	S117 and ((respons\$4 near4 select\$4) same (display\$4))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/29 14:22
S11 7	473	S116 and (url\$2 link\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/29 14:22
S11 6	523	S115 and (respons\$4 near4 select\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/29 14:22
		S117 and ((respons\$4 near4 select\$4) same (display\$4))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/29 14:22
S11 5	2101	S114 not S108	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/29 14:21
S11 4	2289	S113 and @ad<="19990426"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/29 14:20
S11 3	14665	(gui (user near4 interface\$2)) same browser\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/29 14:20
S11 0	188	S108 and @ad<="19990426"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/29 14:20
S10 8	931	(gui (user near4 interface\$2)) same (separat\$4) same browser\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/29 14:19
S11 2	129	S111 and url\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/29 11:47
S11 1	184	S110 not S103	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/29 11:47

S10 9	10090852	16and @ad<="19990426"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/29 11:47
S98	49	S96 and @ad<="19990426"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/29 11:47
S96	174	(gui (user near4 interface\$2)) same (separat\$4) near5 browser\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/29 11:46
S10 7	166	S96 not S102	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/29 11:45
S10 6	21	S102 not S103	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/29 11:39
S10 3	7	S102 and @ad<="19990426"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/29 11:39
S10 5	1	S104 and (track\$2 near3 list\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/29 10:56
S10 4	1	"6088707".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/29 10:56
S10 2	28	(bookmark\$2 (book near2 mark\$2)) same (separate\$2 near4 (browser\$2 gui (user near3 interface)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/29 10:43
S10 1	2	("6493702" "6484149").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/29 10:37
S10 0	3	("6041360" "6208995" "6133916").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/29 10:33
S99	41	S98 and url\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/29 10:20

S97	0	S96 and @ad<="09990426"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/29 10:06
S94	65	(gui (user near4 interface\$2)) near5 (separat\$4) near5 browser\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/29 10:06
S95	53	S94 and url\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/29 09:59
S64	59	(gui (user near4 interface\$2)) near5 (separat\$4) near5 browser\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/29 09:59
S93	1	"6133916".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/28 17:19
S92	4	("6549612" "5801702" "6537324" "5796393").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/24 15:59
S91	1	"0180086"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/24 15:58
S90	0	01/80086	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/24 15:55
S89	0	0180086/A2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/24 15:55
S88	0	0180086A2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/24 15:55
S87	0	wo0180086	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/24 15:53
S86	1	"0180086"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/24 15:53

S85	2	("5599756" "6411992").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/24 15:52
S84	2	("5599756" "6441992").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/24 15:49
S83	19	("6026433" "5599756" "5987513" "6484149" "6560639" "6161112" "6418440" "6065044" "5796952" "6441992" "6393407" "6341305" "5977964" "6230173" "6012098" "6487566" "6784900" "6538673" "6434563").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/24 15:49
S28	73	S27 and @ad<"19990426"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/10/15 14:58
S27	322	S5 and ((url web\$6 (web near4 (page site))) near5 (gif (graphic\$4 near3 (interchange image\$2))))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/10/15 14:58
S10	296	S7 and @ad<"19990426"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/10/15 14:58
S26	7	S18 and ((url web\$6 (web near4 (page site))) near5 (gif (graphical near3 image\$2)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/10/15 14:57
S25	0	S16 and ((url web\$6 (web near4 (page site))) near5 (gif (graphical near3 image\$2)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/10/15 14:54
S16	48	S15 and ((login\$2 (log adj (in on))) and (profile\$2 reference\$2) and (gui interface\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/10/15 14:53
S24	1	"5761662".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/10/15 12:55
S23	112	"5761662"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/10/15 12:54
S22	1	"5796952".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/10/15 10:44

S21	37	web adj client adj interface	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/10/15 10:44
S20	408	S18 not S19	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/10/15 10:21
S19	24	S18 and (gif (graphical near2 image\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/10/15 10:20
S18	432	S15 not S16	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/10/15 10:13
S17	0	S16 not S15	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/10/15 10:13
S6	976	S5 and (gif (graphical near2 image\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/10/15 10:13
S15	480	S14 not S10	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/10/15 10:05
S14	620	S13 and @ad<"19990426"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/10/15 10:04
S13	2636	web adj client\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/10/15 10:03
S12	0	deligated adj client\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/10/15 10:03
S11	0	delicated adj client\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/10/15 10:03
S9	296	S8 and @ad<="19990426"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/10/15 08:32

S8	967	S7 and (url\$2 ((internet web near3 content\$2) (web\$6 (web near3 (page\$2 site\$2))))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/10/15 08:30
S7	967	S6 and (frame\$2 form forms window\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/10/15 08:29
S5	4661	S4 and (click\$4 select\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/10/15 08:26
S4	5008	S3 and (profile\$2 reference\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/10/15 08:26
S3	5387	((web near2 client\$2) (delicat\$4 near2 client\$2)) same browser\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/10/15 08:25
S2	8167	S1 and (profile\$2 reference\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/10/15 08:25
S1	8982	web near2 client\$2) (delicat\$4 near2 client\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/10/15 08:25

S82	308	(((gui (user near4 interface\$2)) same (separat\$4) same browser\$2) and search\$4) not ((((((interface\$2 gui form table\$2 window\$2) near4 display\$4 near4 (list\$2 url\$2 select\$4))) and ((select\$4 click\$4) near3 (categor\$4 icon\$2 box\$2))) and search\$4) and ((gui (user near4 interface\$2)) same browser\$2)) and ((gui (user near4 interface\$2)) same (separat\$4) same browser\$2))) not (((((gui (user near4 interface\$2)) same (separat\$4) same browser\$2) not ((gui (user near4 interface\$2)) near5 (separat\$4) near5 browser\$2)) and (link\$2 url\$2 (web near3 (page\$2 site\$2)) web\$6)) and (frame\$2 window\$2 form\$2)) not (((((gui (user near4 interface\$2)) same (separat\$4) same browser\$2) not ((gui (user near4 interface\$2)) near5 (separat\$4) near5 browser\$2)) and (link\$2 url\$2 (web near3 (page\$2 site\$2)) web\$6)) and (frame\$2 window\$2)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/10/15 08:23
S81	368	(((gui (user near4 interface\$2)) same (separat\$4) same browser\$2) and search\$4) not ((((((interface\$2 gui form table\$2 window\$2) near4 display\$4 near4 (list\$2 url\$2 select\$4))) and ((select\$4 click\$4) near3 (categor\$4 icon\$2 box\$2))) and search\$4) and ((gui (user near4 interface\$2)) same browser\$2)) and ((gui (user near4 interface\$2)) same (separat\$4) same browser\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/10/14 17:27
S80	480	((gui (user near4 interface\$2)) same (separat\$4) same browser\$2) and search\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/10/14 17:27

S69	135	(((((gui (user near4 interface\$2)) same (separat\$4) same browser\$2) not ((gui (user near4 interface\$2)) near5 (separat\$4) near5 browser\$2)) and (link\$2 url\$2 (web near3 (page\$2 site\$2)) web\$6)) and (frame\$2 window\$2 form\$2)) not (((((gui (user near4 interface\$2)) same (separat\$4) same browser\$2) not ((gui (user near4 interface\$2)) near5 (separat\$4) near5 browser\$2)) and (link\$2 url\$2 (web near3 (page\$2 site\$2)) web\$6)) and (frame\$2 window\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/10/14 17:27
S65	769	(gui (user near4 interface\$2)) same (separat\$4) same browser\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/10/14 17:27
S79	112	((((((interface\$2 gui form table\$2 window\$2) near4 display\$4 near4 (list\$2 url\$2 select\$4))) and ((select\$4 click\$4) near3 (categor\$4 icon\$2 box\$2))) and search\$4) and ((gui (user near4 interface\$2)) same browser\$2)) and ((gui (user near4 interface\$2)) same (separat\$4) same browser\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/10/14 17:22
S78	1052	((((((interface\$2 gui form table\$2 window\$2) near4 display\$4 near4 (list\$2 url\$2 select\$4))) and ((select\$4 click\$4) near3 (categor\$4 icon\$2 box\$2))) and search\$4) and ((gui (user near4 interface\$2)) same browser\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/10/14 17:21
S62	11841	(gui (user near4 interface\$2)) same browser\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/10/14 17:21
S77	283	((((((interface\$2 gui form table\$2 window\$2) near4 display\$4 near4 (list\$2 url\$2 select\$4))) and ((select\$4 click\$4) near3 (categor\$4 icon\$2 box\$2))) and search\$4) and (address\$2 near3 book\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/10/14 17:07
S76	4208	((((((interface\$2 gui form table\$2 window\$2) near4 display\$4 near4 (list\$2 url\$2 select\$4))) and ((select\$4 click\$4) near3 (categor\$4 icon\$2 box\$2))) and search\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/10/14 17:06

S75	7277	((interface\$2 gui form table\$2 window\$2) near4 display\$4 near4 (list\$2 url\$2 select\$4))) and ((select\$4 click\$4) near3 (categor\$4 icon\$2 box\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/10/14 17:05
S74	21224	((interface\$2 gui form table\$2 window\$2) near4 display\$4 near4 (list\$2 url\$2 select\$4))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/10/14 17:03
S73	32	((form gui window\$2) near3 (clie\$2 select)) and (profile\$2 reference\$2)) and ((interface\$2 gui form table\$2) near10 separat\$4 near10 browser\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/10/14 17:01
S72	13966	((form gui window\$2) near3 (clie\$2 select)) and (profile\$2 reference\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/10/14 16:54
S71	15897	(form gui window\$2) near3 (clie\$2 select)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/10/14 16:53
S70	556	((gui (user near4 interface\$2)) same (separat\$4) same browser\$2) not ((gui (user near4 interface\$2)) near5 (separat\$4) near5 browser\$2)) and (link\$2 url\$2 (web near3 (page\$2 site\$2)) web\$6)) and (frame\$2 window\$2 form\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/10/14 16:53
S68	691	((gui (user near4 interface\$2)) same (separat\$4) same browser\$2) not ((gui (user near4 interface\$2)) near5 (separat\$4) near5 browser\$2)) and (link\$2 url\$2 (web near3 (page\$2 site\$2)) web\$6)) and (frame\$2 window\$2 form\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/10/14 16:00
S67	696	((gui (user near4 interface\$2)) same (separat\$4) same browser\$2) not ((gui (user near4 interface\$2)) near5 (separat\$4) near5 browser\$2)) and (link\$2 url\$2 (web near3 (page\$2 site\$2)) web\$6))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/10/14 15:59
S66	710	((gui (user near4 interface\$2)) same (separat\$4) same browser\$2) not ((gui (user near4 interface\$2)) near5 (separat\$4) near5 browser\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/10/14 15:58

S63	7584	(gui (user near4 interface\$2)) near10 browser\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/10/14 15:41
S61	2	((("5987513" "5995756").pn.) and (database storage\$2 (data near3 base)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/03/19 17:24
S60	2	("5987513" "5995756").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/03/19 17:23
S59	134	((template\$2 and definition\$2) and (address\$2 near10 template\$2)) and (URL\$3 web\$7 (web near5 (page\$2 site\$2))) and server	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/05/29 14:41
S51	150	((template\$2 and definition\$2) and (address\$2 near10 template\$2)) and (URL\$3 web\$7 (web near5 (page\$2 site\$2)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/05/29 14:39
S58	242	(((((custom\$4 near4 (web\$4 (web adj (page\$2 site\$2)))) and (frame\$2 template\$2)) and (request\$4 near10 (frame\$2 template\$2 file\$2))) not (((custom\$4 near4 (web\$4 (web adj (page\$2 site\$2)))) and (frame\$2 template\$2)) and (request\$4 near10 (frame\$2 template\$2 file\$2))) and (fill\$4 near10 (frame\$2 template\$2 file\$2)))) and ((permit\$4 near5 access\$4) (id login log-in (log near3 in) password))) and (generat\$4 near10 (frame\$2 template\$2 file\$2)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/05/28 14:15
S57	439	(((((custom\$4 near4 (web\$4 (web adj (page\$2 site\$2)))) and (frame\$2 template\$2)) and (request\$4 near10 (frame\$2 template\$2 file\$2))) not (((custom\$4 near4 (web\$4 (web adj (page\$2 site\$2)))) and (frame\$2 template\$2)) and (request\$4 near10 (frame\$2 template\$2 file\$2))) and (fill\$4 near10 (frame\$2 template\$2 file\$2)))) and ((permit\$4 near5 access\$4) (id login log-in (log near3 in) password)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/05/28 14:14

S56	532	((((custom\$4 near4 (web\$4 (web adj (page\$2 site\$2)))) and (frame\$2 template\$2)) and (request\$4 near10 (frame\$2 template\$2 file\$2))) not (((custom\$4 near4 (web\$4 (web adj (page\$2 site\$2)))) and (frame\$2 template\$2)) and (request\$4 near10 (frame\$2 template\$2 file\$2))) and (fill\$4 near10 (frame\$2 template\$2 file\$2)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/05/28 14:11
S54	720	((custom\$4 near4 (web\$4 (web adj (page\$2 site\$2)))) and (frame\$2 template\$2)) and (request\$4 near10 (frame\$2 template\$2 file\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/05/28 14:11
S55	188	((((custom\$4 near4 (web\$4 (web adj (page\$2 site\$2)))) and (frame\$2 template\$2)) and (request\$4 near10 (frame\$2 template\$2 file\$2))) and (fill\$4 near10 (frame\$2 template\$2 file\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/05/28 13:38
S53	2061	(custom\$4 near4 (web\$4 (web adj (page\$2 site\$2)))) and (frame\$2 template\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/05/28 13:36
S52	4833	custom\$4 near4 (web\$4 (web adj (page\$2 site\$2)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/05/28 13:35
S50	355	(template\$2 and definition\$2) and (address\$2 near10 template\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/05/27 12:53
S49	41	(template\$2 and definition\$2 and "707"/.cccls.) and (address\$2 near10 template\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/05/27 12:53
S48	1074	template\$2 and definition\$2 and "707"/.cccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/05/26 15:12
S47	304	((((nim nims (network near3 information near3 monitor\$2))) and (frame\$2 form\$2)) and (network near3 information near3 monitor\$2)) and (database\$2 server\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/05/26 15:11

S46	439	((nim nims (network near3 information near3 monitor\$2))) and (frame\$2 form\$2)) and (network near3 information near3 monitor\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/05/26 14:37
S43	560	(network near3 information near3 monitor\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/05/26 14:36
S45	1468	((nim nims (network near3 information near3 monitor\$2))) and (frame\$2 form\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/05/26 14:29
S44	1779	(nim nims (network near3 information near3 monitor\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/05/26 14:28
S42	1779	(nim nims (network near3 information near3 monitor\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/05/26 14:27
S41	280	((locat\$4 retriev\$4) near5 (frame\$2 form\$2) near5 (database\$2 server\$2)) and ((address\$2 near5 (frame\$2 location\$2 form\$2)) and content\$2)) and ((transmit\$4 send\$4 sent) near10 (frame\$2 location\$2 form\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/05/23 16:15
S40	1	("6243794".PN. and (("6275900" "6026448" "6247041" "6415361" "6351784" "6114692" "6075938" "6243794").pn.)) and ((modif\$8 chang\$4) near5 (frame\$2 form\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/05/23 15:57
S39	365	((locat\$4 retriev\$4) near5 (frame\$2 form\$2) near5 (database\$2 server\$2)) and ((address\$2 near5 (frame\$2 location\$2 form\$2)) and content\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/05/23 15:54
S38	1941	(locat\$4 retriev\$4) near5 (frame\$2 form\$2) near5 (database\$2 server\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/05/23 15:53
S37	33	((host near5 internet near5 (content\$2 data information)) and (form\$2 frame\$2)) and (shar\$4 near5 file\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/05/23 15:50

S36	665	(host near5 internet near5 (content\$2 data information)) and (form\$2 frame\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/05/23 14:51
S35	750	host near5 internet near5 (content\$2 data information)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/05/23 14:51
S34	57	receiv\$4 near5 address\$2 near5 definition	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/05/23 14:49
S33	135	((((fram\$4 and locati\$4 and (content\$2 same fram\$4) and (address\$4 url\$4 (uniform near4 locator\$4))) and ((database\$2 server\$2) and (receiv\$4 transmit\$5 send\$4 sent))) and (authoriz\$6 login log-in password\$2 (pass near2 word\$2))) and (fram\$4 same (content\$2 data information) same fill\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/05/23 14:33
S32	1306	((fram\$4 and locati\$4 and (content\$2 same fram\$4) and (address\$4 url\$4 (uniform near4 locator\$4))) and ((database\$2 server\$2) and (receiv\$4 transmit\$5 send\$4 sent))) and (authoriz\$6 login log-in password\$2 (pass near2 word\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/05/23 11:22
S31	3531	(fram\$4 and locati\$4 and (content\$2 same fram\$4) and (address\$4 url\$4 (uniform near4 locator\$4))) and ((database\$2 server\$2) and (receiv\$4 transmit\$5 send\$4 sent))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/05/23 11:19
S30	9715	fram\$4 and locati\$4 and (content\$2 same fram\$4) and (address\$4 url\$4 (uniform near4 locator\$4))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/05/23 11:13
S29	8	("5625781" "5649186" "5794230" "5796393" "5801702" "5809248" "5974446" "6018344").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/05/23 11:10